



## Eurocode handbook 4. Design of bridges

Издательство

170 стр; формат: 30 x 21 см; библиографический список: 51 единица

Код: 10470

### Ключевые слова:

#### Содержание.

- Chapter 1. Bridges - Actions and load combinations (Pages I-1 to I-76) /  
1. Foreword /  
2. Development of the static road traffic load models of EC1.2 /  
    2.1. Static load model philosophy /  
    2.2. Statical analysis of European traffic data /  
    2.3. Traffic scenarios /  
    2.4. Extrapolation methods /  
        2.4.1. Half-normal distribution extrapolation method /  
        2.4.2. Gumbel distribution extrapolation method /  
        2.4.3. Montecarlo method extrapolation /  
    2.5. Definition of dynamic magnification factors /  
        2.5.1. The inherent impact factors /  
        2.5.2. The impact factors /  
    2.6. Setup and calibration of the EN 1991-2 traffic load models /  
    2.7. Other representative traffic load values /  
3. The EN 1991-2 load traffic models /  
    3.1. Division of the Carriageway and numbering of notional lanes /  
    3.2. Load models for vertical loads /  
    3.3. Load model n. 1 /  
    3.4. Load model n. 2 /  
    3.5. Load model n. 3 - Special vehicles /  
    3.6. Load model n. 4 Crowd loading /  
    3.7. Characteristic values of horizontal actions /  
        3.7.1. Braking and acceleration forces /  
        3.7.2. 'Centrifugal force' /  
4. Combination of multi-component actions /  
5. Design values of actions /  
    5.1. Persistent and transient design situations /  
    5.2. Accidental and seismic design situations /  
    5.3. Serviceability limit states /  
6. Development of the fatigue load models of EN 1991-2 /  
    6.1. Fatigue load modeling /  
        6.1.1. Fatigue verification methods /  
        6.1.2. Reference traffic measurements /  
    6.2. The fatigue load models of EN 1991-2 /  
        6.2.1. Calibration method /  
        6.2.2. Reference S-N curves /  
        6.2.3. Fatigue load models /  
        6.2.4. Accuracy of fatigue load models /  
    6.3. The  $\lambda$ -coefficient method /  
    6.4. Partial safety factors  $\gamma_m$  /  
    6.5. Modeling of vehicle interactions /  
        6.5.1. Basic assumptions /  
        6.5.2. Interaction between lorries simultaneously travelling on one lane /  
        6.5.3. Interaction between lorries simultaneously travelling on several lanes /  
        6.5.4. The time independent load spectrum /  
        6.5.5. Time independent interactions /  
        6.5.6. Some relevant results /  
7. Actions on footbridges /

- 7.1. Field of application /
  - 7.2. Vertical load models /
    - 7.2.1. Uniformly distributed loads /
    - 7.2.2. Concentrated load /
    - 7.2.3. Service vehicle /
  - 7.3. Horizontal forces - characteristic values /
  - 7.4. Groups of traffic loads on footbridges /
  - 7.5. Application of the load models /
  - 7.6. Verification regarding traffic induced deformations and vibrations for footbridges /
    - 7.6.1. Bridge-traffic interaction /
    - 7.6.2. Dynamic models of pedestrian loads /
    - 7.6.3. Comfort criteria /
  - 7.7. Load combinations for footbridges /
8. Actions on railway bridges /
- 8.1. Representation of actions and nature of rail traffic loads /
  - 8.2. Vertical loads /
    - 8.2.1. Load Model 71 /
    - 8.2.2. Load Models SW/0 and SW/2 /
    - 8.2.3. Load Model "unloaded train" /
    - 8.2.4. Eccentricity of vertical load models 71 and SW/0 /
    - 8.2.5. Distribution of axle loads /
    - 8.2.6. Equivalent vertical loading for earthworks and earth pressure effects /
    - 8.2.7. Footpaths and general maintenance loading /
  - 8.3. Dynamic magnification factors  $\Phi$  ( $\Phi_2, \Phi_3$ ) /
    - 8.3.1. Definition of the dynamic factor  $\Phi$  /
  - 8.4. Application of traffic loads on railway bridges /
  - 8.5. Horizontal forces - characteristic values /
    - 8.5.1. Centrifugal forces /
    - 8.5.2. Nosing force /
    - 8.5.3. Actions due to traction and braking /
  - 8.6. Multicomponent actions /
    - 8.6.1. Characteristic values of multicomponent actions /
    - 8.6.2. Other representative values of the multicomponent actions /
  - 8.7. Fatigue load models /
    - 8.7.1. Assumption for fatigue actions /
    - 8.7.2. The  $\lambda$ -factor design method /
    - 8.7.3. Train types for fatigue /

#### References /

Chapter 2. Accidental actions on bridges (Pages II-1 to II-6) /

#### Summary /

1. Introduction /

  1.1. General /

  1.2. Background Documents /

2. Basis of applications /

3. Loads due to vehicle collisions /

4. Design examples of a bridge pier for collision /

5. Discussion ON Annex C /

6. References /

Chapter 3. EN 1991-2, Traffic loads on bridges: example of concrete bridge design (Pages III-1 to III-15) /

#### Summary /

1. Description of the bridge /

  1.1. Geometric characteristics of a single longitudinal beam /

2. Definition of loads /

  2.1. Structural self weights /

  2.2. Dead loads /

  2.3. Traffic loads /

  2.4. Wind action /

  2.5. Thermal actions /

3. Calculating the stresses /

  3.1. Distribution of the loads on the main beams /

  3.2. Calculating the maximum stresses on the main beams /

Chapter 4. EN 1991-2, Traffic loads on bridges: example of steel bridge design (Pages IV-1 to IV-17) /

#### Summary /

1. Description of the bridge /

  1.1. Geometric characteristics of the structure /

2. Definition of loads /

  2.1. Structural self-weights /

  2.2. Dead loads /

  2.3. Traffic loads /

  2.4. Wind action /

  2.5. Thermal actions /

3. Calculting the stresses /

  3.1. Behaviour of the structure /

  3.2. Local effects on the deck plate /

  3.3. Calculation methods for the orthotropic deck /

  3.4. Calculating the main structure /

    3.4.1. The effects of self-weight and dead load /

    3.4.2. The effects of traffic loads /

    3.4.3. Wind effects /

- 3.4.4. Effects of thermal variations /
- 3.5. Calculating the transverse section /
- Chapter 5. Example of steel footbridge (Pages V-1 to V-10) /
  - Summary /
  - 1. Introduction /
    - 1.1. Background materials /
  - 2. Definition of the system /
    - 2.1. The structural system /
    - 2.2. Properties of the section /
  - 3. Definition of the actions /
    - 3.1. Permanent actions /
      - 3.1.1. Self weight of structural members /
      - 3.1.2. Deck cover /
    - 3.2. Snow loads /
    - 3.3. Wind loads /
    - 3.4. Thermal loads /
    - 3.5. Traffic loads /
  - 4. Combination of actions /
    - 4.1. Combination of action for the ultimate limit state verification /
    - 4.2. Combination of action for the serviceability limit state verification /
  - 5. References /
- Chapter 6. Examples of a composite bridge (Pages VI-1 to VI-21) /
  - 1. Introduction /
  - 2. Definition of the system /
    - 2.1. Details of the system /
    - 2.2. Load History /
    - 2.3. Properties of the Section /
      - 2.3.1. Bending Capacities /
      - 2.3.2. Moments of Inertia /
    - 2.4. Resistance of the Transversal Girder and of the Stiffeners /
  - 3. Definition of loads /
    - 3.1.1. Permanent Loads Acting on the Structural Steel /
    - 3.1.2. Permanent Loads Acting on the Composite Beam /
    - 3.2. Traffic Loads /
    - 3.3. Actions on Footways /
    - 3.4. Wind Loads /
      - 3.4.1. Determination of the Relevant Gust Wind Pressure /
      - 3.4.2. Horizontal Wind Forces /
      - 3.4.3. Vertical Wind Forces /
    - 3.5. Thermal Actions /
    - 3.6. Effects due to Shrinkage /
    - 3.7. Temporary Loads during Construction /
  - 4. Calculation of internal forces /
    - 4.1. Distributions of Characteristic Loads on the Bridge Deck /
    - 4.2. Bending Moments in the Construction Stage (Continuous Beam) /
      - 4.2.1. Moments due to permanent loads during Erection /
      - 4.2.2. Moments due to Temporary Loads during Erection /
      - 4.2.3. Moments due to Vertical Wind Loads during Erection /
    - 4.3. Bending Moments in the Final Stage /
      - 4.3.1. Moments due to Permanent Loads /
      - 4.3.2. Moments due to Traffic Loads /
      - 4.3.3. Moments due to Loads on the Footway /
      - 4.3.4. Moments due to Vertical Wind Forces /
    - 4.4. Internal Forces Acting on the Transversal Girder and the Stiffeners /
    - 4.5. Summary of the Relevant Internal Forces /
      - 4.5.1. Bending Moments in the Bridge Girder /
      - 4.5.2. Internal Forces in the Transversal Girder and the Stiffeners /
  - 5. Verifications /
    - 5.1. Verification for the Ultimate Limit State /
      - 5.1.1. General /
      - 5.1.2. Verification of the Steel Girder in the Erection Stage /
      - 5.1.3. Verification of the Composite Beam in the Final Stage /
      - 5.1.4. Verification of the Transversal Girder and the Stiffeners /
    - 5.2. Verification for the Serviceability Limit State /
  - 6. References /
- Chapter 7. Design of composite bridges according to EN 1990 and EN 1991. Case study (Pages VII-1 to VII-14) /
  - 1. Introduction /
    - 1.1. Aims /
    - 1.2. Scope /
    - 1.3. Organisation of the contribution /
  - 2. Constraints /
    - 2.1. Situation /
    - 2.2. Functionality /
    - 2.3. Construction /
  - 3. Conceptual design /
    - 3.1. Layout of the bridge /
    - 3.2. Bridge deck /
    - 3.3. Construction /
  - 4. Actions, influences and countermeasures /

- 4.1. Introduction /
  - 4.2. Recognition of actions and influences, adoption of countermeasures /
    - 4.2.1. Permanent actions /
    - 4.2.2. Variable actions /
    - 4.2.3. Accidental actions /
  - 4.3. Failure mode and reliability /
  - 4.4. Relevant design situations /
    - 4.4.1. Overview /
    - 4.4.2. Design situations for the verification of Ultimate Limit States /
    - 4.4.3. Design situations for the verification of Serviceability Limit States /
  - 5. Action models /
  - 6. Calculation of actions effects /
  - 7. Combination of actions /
    - 7.1. Transient design situation Construction /
    - 7.2. Persistent design situation Traffic /
    - 7.3. Persistent design situation Temperature /
  - 8. Concluding remarks /
  - References /
- Appendix A. Properties of selected materials /
- Summary /
  - 1. Properties of concrete /
    - 1.1. Introduction /
    - 1.2. Concrete classes /
    - 1.3. Time-dependence of concrete mechanical parameters /
    - 1.4. Creep and shrinkage /
    - 1.5. Durability /
    - Example /
  - 2. References /