



Код: 10477

## Eurocode – Basis of structural design

Издательство European Committee for Standardization, Brussels, 2002

87 стр; формат: 30 x 21 см; библиографический список: 8 единиц

This document (EN 1990:2002) has been prepared by Technical Committee CEN/TC 250 «Structural Eurocodes», the secretariat of which is held by BSi.

The Eurocodes, as far as they concern the construction works themselves, have a direct relationship with the Interpretative Documents referred to in Article 12 of CPD, although they are of a different nature from harmonized product standards. Therefore, technical aspects arising from the Eurocodes work need to be adequately considered by CEN Technical Committees and/or EOTA Working Groups working on product standards with a view to achieving a full compatibility of these technical specifications with the Eurocodes.

The Eurocodes standards provide common structural design rules for everyday use for the design of whole structures and component products of design conditions are not specifically covered and additional expert consideration will be required by the designer in such cases.

### Ключевые слова:

### Содержание.

- Foreword /
- Background of the Eurocode programme /
- Status and field of application of Eurocodes /
- National Standards implementing Eurocodes /
- Links between Eurocodes and harmonised technical specifications (ENs and ETAs) for products /
- Additional information specific to EN 1990 /
- National annex for EN 1990 /
- Section 1 General /
  - 1.1. Scope /
  - 1.2. Normative references /
  - 1.3. Assumptions /
  - 1.4. Distinction between Principles and Application Rules /
  - 1.5. Terms and definitions /
    - 1.5.1. Common terms used in EN 1990 to EN 1999 /
    - 1.5.2. Special terms relating to design in general /
    - 1.5.3. Terms relating to actions /
    - 1.5.4. Terms relating to material and product properties /
    - 1.5.5. Terms relating to geometrical data /
    - 1.5.6. Terms relating to structural analysis /
  - 1.6. Symbols /
- Section 2 Requirements /
  - 2.1. Basic Requirements /
  - 2.2. Reliability management /
  - 2.3. Design working life /
  - 2.4. Durability /
  - 2.5. Quality management /
- Section 3 Principles of limit states design /
  - 3.1. General /
  - 3.2. Design situations /
  - 3.3. Ultimate limit states /
  - 3.4. Serviceability limit states /
  - 3.5. Limit states design /
- Section 4 Basic variable /
  - 4.1. Actions and environmental influences /
    - 4.1.1. Classification of actions /
    - 4.1.2. Characteristic values of actions /
    - 4.1.3. Other representative values of variable actions /
    - 4.1.4. Representation of fatigue actions /
    - 4.1.5. Representation of dynamic actions /
    - 4.1.6. Geotechnical actions /
    - 4.1.7. Environmental influences /

- 4.2. Material and product properties /
- 4.3. Geometrical data /
- Section 5 Structural analysis and design assisted by testing /
  - 5.1. Structural analysis /
    - 5.1.1. Structural modelling /
    - 5.1.2. Static actions /
    - 5.1.3. Dynamic actions /
    - 5.1.4. Fire design /
  - 5.2. Design assisted by testing /
- Section 6 Verification by the partial factor method /
  - 6.1. General /
  - 6.2. Limitations /
  - 6.3. Design values /
    - 6.3.1. Design values of actions /
    - 6.3.2. Design values of the effects of actions /
    - 6.3.3. Design values of material or product properties /
    - 6.3.4. Design values of geometrical data /
    - 6.3.5. Design resistance /
  - 6.4. Ultimate limit states /
    - 6.4.1. General /
    - 6.4.2. Verifications of static equilibrium and resistance /
    - 6.4.3. Combination of actions (fatigue verifications excluded) /
      - 6.4.3.1. General /
      - 6.4.3.2. Combinations of actions for persistent or transient situations (fundamental combinations) /
      - 6.4.3.3. Combinations of actions for accidental design situation /
      - 6.4.3.4. Combinations of actions for seismic design situation /
    - 6.4.4. Partial factors for actions and combinations of actions /
    - 6.4.5. Partial factors for materials and products /
  - 6.5. Serviceability limit states /
    - 6.5.1. Verifications /
    - 6.5.2. Serviceability criteria /
    - 6.5.3. Combination of actions /
    - 6.5.4. Partial factors for materials /
- Annex A1 (normative) Application for Buildings /
  - A1.1. Field of application /
  - A1.2. Combinations of actions /
    - A1.2.1. General /
    - A1.2.2. Values of  $\psi$  factors /
  - A1.3. Ultimate limit states /
    - A1.3.1. Design values of actions in persistent and transient design situation /
    - A1.3.2. Design values of actions in the accidental and seismic design situation /
  - A1.4. Serviceability limit states /
    - A1.4.1. Partial factors for action /
    - A1.4.2. Serviceability criteria /
    - A1.4.3. Deformations and horizontal displacements /
    - A1.4.4. Vibrations /
- Annex B (informative) Management of structural reliability for construction works /
  - B1. Scope and field of application /
  - B2. Symbols /
  - B3. Reliability differentiation /
    - B3.1. Consequences classes /
    - B3.2. Differentiation by  $\beta$  values /
    - B3.3. Differentiation by measures relating to the partial factors /
  - B4. Design supervision differentiation /
  - B5. Inspection during execution /
  - B6. Partial factors for resistance properties /
- Annex C (informative) Basis for partial factor design and reliability analysis /
  - C1. Scope and Field of Applications /
  - C2. Symbols /
  - C3. Introduction /
  - C4. Overview of reliability method /
  - C5. Reliability index  $\beta$  /
  - C6. Target values of reliability index  $\beta$  /
  - C7. Approach for calibration of design values /
  - C8. Reliability verification formats in Eurocodes /
  - C9. Partial factors in EN 1990 /
  - C10.  $\psi_0$  factors /
- Annex D (informative) Design assisted by testing /
  - D1. Scope and field of application /
  - D2. Symbols /
  - D3. Types of tests /
  - D4. Planning of tests /
  - D5. Derivation of design values /
  - D6. General principles for statistical evaluation /
  - D7. Statistical determination of a single property /
    - D7.1. General /
    - D7.2. Assessment via the characteristic value /
    - D7.3. Direct assessment of the design value for ULS verifications /
  - D8. Statistical determination of resistance models /
    - D8.1. General /

D8.2. Standard evaluation procedure (Method (a)) /  
D8.2.1. General /  
D8.2.2. Standard procedure /  
D8.3. Standard evaluation procedure (Method (b)) /  
D8.4. Use of additional prior knowledge /  
Bibliography /